

PERMA BLEND®

رنگدانه های پایه مورد استفاده در شرکت پرما

این آخرین لیست تمام رنگ دانه های مورد استفاده در رنگ های پرما در هر دو سری لاکس و کلاسیک

Pigment Name	Pigment Type	Color Description	CI No.	CAS Number	Light Fastness (Blue Wool Scale)	Opacity	Temperature
White 6 (TiO2,titanium dioxide)	Inorganic	White	77891	13463-67-7	8	High	Cool
Yellow 42 (iron oxide)	Inorganic	Dull golden yellow	77492	51274-00-1	8	High	Warmer
Yellow 138	Organic	Very bright yellow	56300	30125-47-4	8	Low	Cooler
Yellow 180	Organic	Very bright yellow	21290	77804-81-0	6-7	Medium	Warm
Orange 73	Organic	Bright orange mass tone with red/pink undertone	561170	84632-59-7	8	Low	Warm
Orange 36	Organic	Dull orange	11780	12236-62-3	8	Medium	Warm
Red 101 (iron oxide)	Inorganic	Dull brick red	77491	1309-37-1	8	High	Slightly Warm
Red 170	Organic	True red, perfect red hue	12475	2786-76-7	7	Medium	Neutral Red
Red 238	Organic	Deep red with blue influences	173995	140114-63-2	6-7	Low	Cool
Red 254	Organic	Bright red with orange hue tendency	56110	84632-65-5	8	Low	Leaning Warm
Red 202	Organic	Deep blue shade red-violet	73907	3089-17-6	7-8	Low	Cool
Blue 60	Organic	Bright blue	69800	81-77-6	8	Low	Cool
Green 36	Organic	Dark blue-green	74265	14302-13-7	8	Low	Cool
Black 7 (carbon black)	Inorganic	Black	77266	1333-86-4	8	Medium	Cool
Black 11 (iron oxide)	Inorganic	Dull black	77499	12227-89-3	8	High	Cool

Violet 55	Organic	Deep blue shadeviolet	————	209066-48-8	7-8	Low	Cool
-----------	---------	-----------------------	------	-------------	-----	-----	------

PERMA BLEND®

رنگدانه های پایه مورد استفاده در شرکت پرما

لیست رنگدانه های مورد استفاده در سری کلاسیک

Pigment Name	Pigment Type	Color Description	CI No.	CAS Number	Light Fastness (Blue Wool Scale)	Opacity	Temperature
Yellow 14	Organic	Green shade yellow	21095	5468-75-7	5-6	Low	Neutral to cool
Yellow 97	Organic	Red shade yellow	11767	12225-18-2	6-7	Medium	Warm
Yellow 65	Organic	Red shade yellow	11740	6528-34-3	6	Medium	Warm
Yellow 74	Organic	Green shade yellow	11741	6358-31-2	7	Medium	Cool
Yellow 83	Organic	Red shade yellow	21108	5567-15-7	7	Medium	Warm
Orange 13	Organic	Bright orange	21110	3520-72-7	6	Low	Warm
Red 210	Organic	True bright red	12477	61932-63-6	6-7	Medium	Neutral to cool
Red 269	Organic	Dark red shade with blue hue impact	12466	67990-05-0	6-7	Low	Cool
Red 122	Organic	Deep blue shade red-violet	73915	980-26-7	8	Low	Cool
Blue 15:3/15:0	Organic	Bright blue	74160	147-14-8	8	Low	Cool
Green 7	Organic	Dark blue-green	74260	1328-53-6	8	Low	Cool
Violet 19	Organic	Bluish-Red shade violet	73900	1047-16-1	7-8	Low	Cool
Violet 23	Organic	Bluish-Red shade violet	51319	6358-30-1	8	Low	Cool